

2N Series Latherwash

The ONVO Latherwash 2N is designed for situations where there is no wall void and for low height installations. A wide range of solid grade laminate colours are available for the frame panels.



Codes	Length	Users
602N	600mm (23 $\frac{5}{8}$ ")	1
1202N	1200mm (47 $\frac{1}{4}$ ")	2
1802N	1800mm (70 $\frac{7}{8}$ ")	3
2402N	2400mm (94 $\frac{1}{4}$ ")	4
3002N	3000mm (118 $\frac{1}{8}$ ")	5

Technical Data

Warranty	5 years from date of purchase
Solid surface	Corian
Frame panel material	Solid grade laminate

Colours

See chart for solid surface colours

See chart for standard front panel colours

Installation Requirements


Support needed	Modular frame system included
Fixing height	500 - 600mm as specified
Plumbing	Connection to 1 $\frac{1}{2}$ " waste outlet required. Installer to provide water supply for taps. See separate datasheet for ONVO sensor taps.

Related Products

Sensor tap	140
Soap dispenser	766

Related Documents

Installation manual	email: sales@onvouk.com
Operation and maintenance manual	email: sales@onvouk.com
Warranty document	email: sales@onvouk.com
Installation video	Coming soon



Guide Heights

Early Years	500mm
Infant	600mm

Standard Frame Panel Laminate Colours

Other colours are available, please contact our sales team for more information.



Blue Front Panel



Red Front Panel



White Front Panel



Yellow Front Panel