INSPIRATION REFERENCE

Modular Handwashing Solutions for Education



Contents



03 - 04
05 - 18
19 - 24
25 - 32
33 - 40
41 - 46
47 - 52
53 - 58

England & Wales							
	Key stage	Year group	Age	Toilet quantity requirement	1 Form entry example	Handwash point requirement	1 Form entry example
	Nursery		2-4	1 toilet per 10 pupils	3 Toilets		3 washpoints
Infants Reception/Ea	Reception/Early Years		4-5	1 toilet per 10 pupils	3 Toilets	1 washpoint per toilet up to 3 toilets.	3 washpoints
	KS1	Infant Year 1-2	5-7	1 toilet per 20 pupils	3 Toilets		3 washpoints
Junior	KS2	Junior Year 3-6	7-11	1 toilet per 20 pupils	6 Toilets		5 washpoints
Occamilant	KS3	Year 7-9	11-14	4 4-11-4 2011-	O Tailata	2 washpoints per 3 toilets thereafter	7
Secondary	KS4	Year 10-11	14-16	1 toilet per 20 pupils	8 Toilets		7 washpoints
	Adult	Year 12 onwards	16+	1 toilet per 20 pupils			

^{*}These are the minimum requirements and do not allow for the split between male and female toilets

	Scotland								
	Key stage	Year group	Age	Toilet quantity requirement	2 Form entry example (420 Pupils)	Handwash point requirement	2 Form entry example (420 Pupils)		
	Nursery		2-4						
Infants	P1 Reception/Early Years		4-5	2 toilets per 15 pupils up to 60 pupils 2 toilets per 15 pupils up	8 toilets	4 washpoints for the first 30 pupils	4 washpoints		
iniants	KS1	Infant Year 1-2 (P2-3)	5-7	to 60 pupils	16 toilets	4 washpoints for the next 30 pupils	4 washpoints		
Junior	KS2	Junior Year 3-6 (P4-7)	7-11	2 toilets per 30 pupils up to 300		2 washpoints per every additional 30	16 washpoints		
Od	KS3	Year 7-9 (S1-3)	11-14	pupils	4 toilets	pupils up to 300 pupils	4 washpoints		
Secondary	KS4	Year 10-11 (S4-5)	14-16	2 toilets per 60 pupils over 300 pupils	Total needed: 28 toilets	2 washpoints per every additional 60 pupils over 300 pupils	Total needed: 28 washpoints		
	Adult	Year 12 Onwards (S6)	16+	_ pap		papilo 0.0. 000 papilo	Total House 20 Wadripolitic		

Washroom Guide ONVO

	Mounting Heights							
	Key stage	Year group	Age	Basin/trough height	Hand dryer	Toilet	Cubicle	
	Nursery		2-4	500mm	710mm	305mm	Low Height for Supervision	
Infants	Reception/Early Years		4-5	500mm	810mm	305mm	Low Height for Supervision	
KS1	KS1	Infant Year 1-2	5-7	600mm	810mm	355mm	Low Height for Supervision	
Junior	KS2	Junior Year 3-6	7-11	700mm	910mm	355mm	Full Height for privacy	
Secondary	KS3	Year 7-9	11-14	800mm	1020mm	450mm	Full Height for privacy	
Secondary	KS4	Year 10-11	14-16	850mm	1120mm	450mm	Full Height for privacy	
	Adult	Year 12 Onwards	16+	850mm	1220mm	450mm	Full Height for privacy	

Latherwash 2W Curve



The ONVO Latherwash 2W Curve is ideal for educational facilities where the wall build up can be designed to accommodate a 150mm void behind the trough. This is the slimmest trough in the ONVO range at only 307mm deep, with all the pipework and wires concealed in the void behind. No boxing in underneath is required, lending itself to a minimalistic floating effect.

Product Codes:


Code	Length*	Users	Brackets	Weight
602W	600mm	1	2	25Kg
1202W	1200mm	2	3	40Kg
1802W	1800mm	3	4	56Kg
2402W	2400mm	4	5	71Kg
3002W	3000mm	5	6	87Kg


^{*}Bespoke lengths also available if required


Please visit:



















Latherwash 2W Curve

















PRODUCTS

Latherwash 2W Curve - https://onvouk.com/latherwash2w

180 Sensor Tap - https://onvouk.com/180sensortap

Latherwash 2D Curve



The ONVO Latherwash 2D is perfect for installing directly onto a solid wall. The taps are mounted onto the deck of the trough and therefore no void is required behind. The Latherwash 2D is very slim, only projecting 400mm from the wall and can be used with the complimentary ONVO Modular Frame System to conceal the pipework and wires underneath.

Product Codes:


Code	Length*	Users	Brackets	Weight
602D	600mm	1	2	27Kg
1202D	1200mm	2	3	42Kg
1802D	1800mm	3	4	58Kg
2402D	2400mm	4	5	73Kg
3002D	3000mm	5	6	88Kg

^{*}Bespoke lengths also available if required

Please visit:















PRODUCTS

Latherwash 2D Curve - https://onvouk.com/latherwash2d-2

140 Sensor Tap - https://onvouk.com/140sensortap







Latherwash 2D Curve with Modular Frame



The ONVO Latherwash 2D with Modular Frame is designed for installations where the pipework below the trough needs to be concealed or where the trough cannot be cantilevered off the wall. The taps are mounted onto the deck of the trough and therefore no void is required behind. The Latherwash 2D with Modular Frame is very slim, only projecting 400mm from the wall.

Product Codes:


Code	Length*	Users
602D/MF 1202D/MF 1802D/MF 2402D/MF 3002D/MF	600mm 1200mm 1800mm 2400mm 3000mm	1 2 3 4 5

^{*}Bespoke lengths also available if required

Please visit:









Latherwash 2D Curve with Modular Frame

ONVO


NEW BUILD PROJECT

Heath Park School Architect - Tweedale

PRODUCTS

Latherwash 2D Curve with Modular Frame - https://onvouk.com/latherwash2d-modularframe

herwash 2D Curve with Modular Frame ONVO **REFURBISHMENT PROJECT** ONVO **St Oswalds Primary School** Architect - Arcadis **PRODUCTS** Latherwash 2D Curve with Modular Frame - https://onvouk.com/latherwash2d-modularframe 142C Sensor Tap - https://onvouk.com/140sensortap





Latherwash 2D Curve with Modular Frame

ONVO



Latherwash 2N Curve



The ONVO Latherwash 2N is designed for situations where there is no wall void and can be installed as low as 500mm from the floor to the trough rim! This trough always comes with the ONVO Modular Frame System and even when installed as low as 500mm, there is still 300mm underneath for access. This ability to be installed at low height combined with the slimness of the trough, means the sensor taps are easy to use for children as young as 2 years.

Product Codes:

Code	Length*	Users	
602N	600mm	1	
1202N	1200mm	2	
1802N	1800mm	3	
2402N	2400mm	4	
3002N	3000mm	5	


^{*}Bespoke lengths also available if required


Please visit:





















ONVO

Latherwash 2W Curve with Modular Island



The Modular Island Unit is designed to provide a safe structural half height support frame to mount washtrough onto. When washtroughs are required to be fitted in the middle of a room or projecting out from a wall, the steel modular island unit can be bolted to the ground. The void between the two troughs is designed to hide all pipework and can contain the ONVO multifeed soap container.


Product Codes:


Code (Island)	Code (Washtrough)	Length (Island)	Length (Washtrough)	Users
1202WIS	1202W/C	1566mm	1200mm	4
1802WIS	1802W/C	2166mm	1800mm	6
2402WIS	2402W/C	2766mm	2400mm	8
3002WIS	3002W/C	3366mm	3000mm	10
3602WIS	3602W/C	3966mm	3600mm	12


^{*}Bespoke lengths also available if required

Please visit:











Latherwash 2W Curve with Modular Island

3

REFURBISHMENT PROJECT

Holmes Chapel Primary School

Architect - Cowan & Co

PRODUCTS

Latherwash 2W Curve with Modular Island - https://onvouk.com/latherwash2w

180 Sensor Tap - https://onvouk.com/180sensortap

Latherwash 2W Curve with Modular Island

OVIAO

REFURBISHMENT PROJECT

Sandwich Academy

Architect - Diocesan Architects

PRODUCTS

Latherwash 2W Curve with Modular Island - https://onvouk.com/product-latherwash-2w-curve-with-modular-island-unit

180 Sensor Tap - https://onvouk.com/180sensortap

ONVO Washfountain



The ONVO Washfountains are designed for primary and secondary schools in particular open plan washroom designs. Washfountains are very robust and ideal for areas with limited wall space. They come with a built in and easily replenished soap dispenser system. The height from the FFL to the rim of the basin ranges from 600mm – 900mm.

Product Codes:

Code	Users
60WFP	6
60WFS	6
80WFP	8
80WFS	8


^{*}Bespoke lengths also available if required

Please visit:




















ONVO



The ONVO Dualwash is a seamless, easy clean solution for classrooms and open play areas where washing facilities are required. It provides a suitable washing area for both the staff and pupils at an appropriate height. Storage is available below the adult height basin via a lockable hinged door.

Product Codes:


Code	Length	Users
1800DH	1800mm	2


^{*}Bespoke lengths also available if required

Please visit:













Dualwash

ONVO

NEW BUILD PROJECT

ONVO

9 9



Dualwash - https://onvouk.com/dualwash

ONVO

ONVO Modular Ltd

Astro House 12f Adlington Business Park London South Road SK10 4PZ United Kingdom